	Application No.	Applicant(s)	
Notice of Allowability	10/600,086	IEDA, JOAO JOSE CARDINALI	
	Examiner	Art Unit	
	William E. Tapolcai	3744	
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject to	plication. If not include will be mailed in due	ed course. THIS
1. This communication is responsive to the RCE filed on September 1.	<u>tember 15, 2005</u> .		
2. ⊠ The allowed claim(s) is/are <u>2</u> .			
 Acknowledgment is made of a claim for foreign priority unally all b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received:	been received. been received in Application No		tion from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the red	quirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMINER es reason(s) why the oath or declara	'S AMENDMENT or Nation is deficient.	IOTICE OF
5. ☑ CORRECTED DRAWINGS (as "replacement sheets") mus (a) ☑ including changes required by the Notice of Draftspers 1) ☑ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the paper No./Mail Date	son's Patent Drawing Review (PTO- s Amendment / Comment or in the C .84(c)) should be written on the drawi he header according to 37 CFR 1.121(Office action of ngs in the front (not the (d).	
DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	SIT OF BIOLOGICAL MATERIAL I	must be submitted. I	Note the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☑ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal F 6. Interview Summary Paper No./Mail Da 7. Examiner's Amend 8. Examiner's Statem 9. Other	v (PTO-413), ite ment/Comment ent of Reasons for Allo William E. Tapolca Primary Examiner	owance
		Art Unit: 3744	

Application/Control Number: 10/600,086 Page 2

Art Unit: 3744

1. The following is an examiner's statement of reasons for allowance: Claim 2 is allowable because the prior art of record fails to disclose or teach the recited thermostatic valve having a flange having a central opening that defines a mouth of a chamber, with an edge of the mouth provided with a ring-shaped groove for housing a sealing ring, and the tubular shaped body having a ring from which projects a pair of legs ending in an inverted "Y", a plate disposed at the other ends of the legs, and the temperature sensor being supported engaged to a metal sheet disc. The rejections based on a non-enabling disclosure and new matter are overcome by Applicant's response filed on September 15, 2005.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William E. Tapolcai whose telephone number is (571) 272-4814. The examiner can normally be reached on Mon. - Thurs., 6:30 to 5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl J. Tyler can be reached on (571) 272-4834. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

William E. Kapolcai Primary Examiner Art Unit 3744

wet September 29, 2005